



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Sandra J. Rotar
Health Operations Administrator

Health Department

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Routine Food

BAJ, INC.
BRETT'S FARMHOUSE
7424 N 60th St
Milwaukee, WI

7/19/2016

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Fee Amount:
\$125.00

CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
Cross Contamination		
3-302.11	A. Vegetables are being washed in handwash sink in kitchen. Establishment does not have a food prep sink. Discontinue using the handwash sink as a food prep sink, use the sanitize compartment of the 3-compartment warewash sink for washing vegetables. Use a colander to suspend food above the flood rim of the sanitize sink to prevent possible contamination of a backflow of plumbing. B. Cleaned knives are being stored in gape between metal wall knife holder and wall. Store knives in knife holder or other cleaned container. All food must be protected from cross-contamination.	7/19/2016
4-601.11	Ice machine in basement has mold build-up. Clean inside of ice machine and maintain clean. All food contact equipment and utensils must be clean. (Repeat violation)	7/19/2016
Improper Hold		
3-501.17	Ready-to-eat potentially hazardous food held for more than 24 hours must clearly marked to indicate the day by which the food is to be consumed on the premise, sold, or discarded.	7/19/2016
Other CDC Factors		
3-603.11	Steak sandwich, burger and eggs may be undercooked per customer request. Menu has consumer advisory however, those listed items need an asterisk next to it as part of the consumer advisory.	7/19/2016
Personal Hygiene		
6-301.12	No paper towel at handwash sink behind bar. Provide single service toweling for all handsinks.	7/19/2016
CDC Risk Violation(s):	5	



Health Department

Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Sandra J. Rotar
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
3-501.11	Boxes of frozen food that had been delivered earlier in the day were stored on floor of basement and were starting to thaw. Transfer food to freezers. Stored frozen foods shall be maintained frozen.	7/19/2016
	6-202.15 Gap on side and bottom on back door of kitchen that leads to outside. Weatherstrip door to close any gaps and help prevent pests from entering establishment.	
4-501.11	A fryer is being used that is not located under a hood. Discontinue using this fryer. Grease production is not allowed without a hood. There is a fryer already under provided hood, use this fryer only for grease production.	7/19/2016
4-501.116	Establishment does not have test strips to check sanitizer concentration for either the kitchen or behind the bar. Use a test kit to ensure chlorine (bleach) sanitizer is at 100ppm.	8/2/2016
4-601.11	Heavy grease build-up on filters of hood, ceiling tiles and walls of kitchen. Do a deep clean and maintain clean all equipment, floors, walls and ceiling.	8/2/2016
6-501.114	Exposed pipes above ice machine in basement. Install FRP panelling above ice machine that extends past the front of the ice machine to prevent contamination of ice by dirt and other debris.	8/2/2016

Good Practice Violation(s): 5

Total Violations: 10

Notes:

CFM is Brett Henning, expires 7/10/2020.

On 7/19/2016, I served these orders upon BAJ, INC. by leaving this report with

Inspector Signature (Inspector ID:115)

Operator Signature